

The Panama Canal Rainforest and the Foothills of Cerro Azul

Custom tour for the Rio Grande Bird Research Center

March 13-21, 2010



This program was focused on the area of Central Panama, including the Rainforest of the Panama Canal, Cerro Azul and one extra day at the Bayano Lowlands to get some Darien specialties. The Panama Canal rainforest proved to be one of the best places of the region to find birds, the first day at Pipeline Road and the Gamboa area yield a total of 174 species recorded in just one day!

We recorded a total of 373 bird species in seven days of birding, two National Endemics were seen and scoped, and these were **the Striped-cheeked Woodpecker** and the **Yellow-green Tyrannulet**. In addition, regional endemics such as **Sulphur-rumped Tanager**, **Black and Yellow Tanager** and **Violet-capped Hummingbird** were seen well too.

Some of the highlights of the trip were a **Pheasant Cuckoo**, that was seen and video taped at Pipeline Road, a couple of **Sunbitterns** that were found and seen for long time at Plantation Road, several **Blue Cotingas** seen at the Rainforest Discovery Center tower, the **Streak-chested Antpitta** was found at Pipeline Road and also at Plantation Road, and a **King Vulture** perched at Plantation Road that offered fantastic views. In addition to this, several Darien lowland specialties such as **Barred Puffbird**, **White-eared Conebill**, **Rufous-winged Antwren**, **Black Antshrike** and **Green Manakin** were seen at Bayano. We have to mention that at Sierra Llorona Lodge the food and the attention was excellent and the grounds offered excellent birding with **Crested Owl**, **Mottled Owl**, **Black and White Owl** and a **Common Potoo**. A tree just out the window of one of the rooms offered close up views of **Rufous-winged Tanager**, **Shining Honeycreeper**, **Blue-crowned Manakin**, and a male **Cerulean Warbler**!

Among others for the hole program we saw 6 species of Manakins, 50 species of Flycatchers, 5 species of Puffbirds, 5 species of trogons, 11 Wrens and 27 species of Tanagers.

This is a short list of some other highlights of the trip, see complete list below

Semiplumbeous Hawk; *one was found eating a lizard in Pipeline Road*

Pearl Kite; *Raymond found one in a tree on the way to Bayano, everyone had good views!*

Snail Kite; *a male was seen perched near Chagres River*

Rufescent Tiger-Heron; *fantastic views of an adult at the Gamboa wetlands*

Cocoi Heron; *seen flying and perched too, awesome views at Bayano Lake, one bird flew over!*

Savanna Hawk; *spectacular views of one individual on the grassy area of the Gatun Dam*

Kelp Gull; *this was a lifebird for many, two were seen at the Panama City mudflats*
 Black-throated Mango; *common at the hummingbird feeders near Pipeline*
 American Pygmy Kingfisher; *seen very close at the Trogon trail near Achioté*
 Great Jacamar; *awesome views at Plantation Road!*
 Pied Water-Tyrant; *two individuals were seen from the Bayano bridge*
 Royal Flycatcher; *great views, seen at Bayano*
 White-headed Wren; *at least four individuals were seen in a Cuipo tree at Achioté*
 Black-and-yellow Tanager*; *striking males were seen at Cerro Jefe*
 Rosy Thrush-Tanager ; *male and females seen at the Metropolitan Nature Park*
 Speckled Tanager; *two individuals were seen at close range at Birder's View (Cerro Azul).*
 Emerald Tanager; *seen well at Cerro Jefe and Birder's View*

Birding Hot Spots:

Pipeline Road
 Discovery Center Tower
 Ammo Dumps
 Chagres River
 Summit Ponds
 Old Gamboa Road
 Plantation Road
 Metropolitan Nature Park
 Punta Culebra Island
 Achioté Road
 Sierra Llorona (Caribbean Slope)
 Birders' View at Cerro Azul
 Bayano Lowlands & Lake
 Panama City Mudflats



Accommodations

-3 nights at ***Albrook Inn*** at the pacific side of the Panama Canal Rainforest.
 -2 nights at ***Sierra Llorona Lodge*** on the Caribbean Slope
 -3 nights at ***Hostal Casa de Campo*** on the eastern foothills of Cerro Azul

Transportation was done in brand new bus with 15 seats and a high roof



Participants were experienced birders from the Rio Grande Center Station at New Mexico.

Panama Guide: Jose Carlos García

Tour Leader: Ashli Gorbet

Participants: Larry Gorbet, Steve & Nancy Cox, Lee Hopwood, Mary Ristow, Christopher Rustay, Bill Talbot, Raymond VanBuskirk and Michael Hilchey.

Trip list compiled by Nancy Cox

| AR=Achiote Road; BL=Bayano Lowlands; CACJ=Cerro Azul & Cerro Jefe; MNP=Metropolitan Nature Park; OGR=Old Gamboa Road & Gamboa; PC = Panama City; PLR=Pipeline Road; PTS=Plantation Trail; SL = Sierra Llorona; T=Tocumen Airport | | | | | | | | | | | |
|--|------------------------------|-----------|---------------|---------|----------|-----------------|---------------------------|---------------|-----------|-------------|---------------|
| | | Plate No. | 1 T, PC | 2 PR | 3 MNP | 4 OGR, PR | 5 AR , PC, SL | 6 SL PC | 7 CACJ | 8 CACJBL | 9 PC, T |
| TINAMOUS: <i>Tinamidae</i> | | | | | | | | | | | |
| 1 | Great Tinamou | 1(20) | | X | | H | | H | | | |
| 2 | Little Tinamou | 1(21) | | H | H | H | H | H | H | H | |
| DUCKS, GEESE, SWANS: <i>Anatidae</i> | | | | | | | | | | | |
| 3 | Black-bellied Whistling-Duck | 3(7) | | X | | X | | | | | |
| GUANS, CHACHALACAS, CURASSOWS: <i>Cracidae</i> | | | | | | | | | | | |
| 4 | Gray-headed Chachalaca | 41(12) | | X | X | X | | | | | |
| NEW WORLD QUAIL: <i>Odontophoridae</i> | | | | | | | | | | | |
| 5 | Black-eared Wood-Quail | 1(13) | | | | | | | X | | |
| GREBES: <i>Podicipedidae</i> | | | | | | | | | | | |
| 6 | Least Grebe | 3(1) | | | | | | | | X | |
| BOOBIES AND GANNETS: | | | | | | | | | | | |
| 7 | Blue-footed Booby | | | | | X | | | | | |
| 8 | Brown Booby | | | | | X | | | | | |
| PELICANS: <i>Pelecanidae</i> | | | | | | | | | | | |
| 9 | Brown Pelican | 4(2) | | X | X | X | X | X | | | |
| CORMORANTS: <i>Phalacrocoracidae</i> | | | | | | | | | | | |
| 10 | Neotropic Cormorant | 4(4) | | X | X | X | X | X | | X | X |
| ANHINGAS: <i>Anhingidae</i> | | | | | | | | | | | |
| 11 | Anhinga | 4(3) | | X | | | | X | | | |
| FRIGATEBIRDS: <i>Fregatidae</i> | | | | | | | | | | | |
| 12 | Magnificent Frigatebird | 4(1) | | X | X | X | X | X | | X | |
| HERONS, EGRETS, BITTERNS: <i>Ardeidae</i> | | | | | | | | | | | |
| 13 | Bare-throated Tiger-Heron | 1(27) | | | | | | | | X | |
| 14 | Rufescent Tiger-Heron | 1(26) | | | X | X | X | | | | |
| 15 | Great Blue Heron | 2(8) | | | X | X | X | | | | |
| 16 | Cocoi Heron | 1(23) | | | | | | X | | X | |
| 17 | Great Egret | 2(8) | | | X | X | X | X | | X | X |

| | | | | | | | | | | | |
|---|----------------------------|----------------|--|---|---|---|---|---|---|---|---|
| 18 | Snowy Egret | 2(6) | | X | | X | X | X | | X | |
| 19 | Little Blue Heron | 2(9) | | X | | X | X | X | | X | |
| 20 | Tricolored Heron | 2(10) | | | | | | X | | | |
| 21 | Cattle Egret | 2(7) | | | | X | X | X | | X | |
| 22 | Striated Heron | | | X | X | | | | | X | |
| 23 | Green Heron | 1(25) | | | X | X | X | X | | | |
| 24 | Yellow-crowned Night-Heron | 2(3) | | | | | | X | | | |
| 25 | Boat-billed Heron | 2(1) | | | X | | X | | | | |
| | | | | | | | | | | | |
| IBIS, SPOONBILLS: <i>Threskiornithidae</i> | | | | | | | | | | | |
| 26 | White Ibis | 2(11) | | | | | | X | | | |
| | | | | | | | | | | | |
| STORKS: <i>Ciconiidae</i> | | | | | | | | | | | |
| 27 | Wood Stork | 2(17) | | | | | X | | | | X |
| | | | | | | | | | | | |
| NEW WORLD VULTURES: <i>Cathartidae</i> | | | | | | | | | | | |
| 28 | Black Vulture | - | | X | X | X | X | X | X | X | X |
| 29 | Turkey Vulture | - | | X | X | X | X | X | X | X | X |
| 30 | King Vulture | - | | | | X | | | | | |
| | | | | | | | | | | | |
| OSPREY: <i>Pandionidae</i> | | | | | | | | | | | |
| 31 | Osprey | - | | X | | | X | X | | X | X |
| | | | | | | | | | | | |
| HAWKS, EAGLES, KITES: <i>Accipitridae</i> | | | | | | | | | | | |
| 32 | Gray-headed Kite | 7(10) | | | | X | | | | | |
| 33 | Swallow-tailed Kite | - | | | | | X | X | X | X | |
| 34 | Pearl Kite | 9(12) | | | | | | | | X | |
| 35 | Snail Kite | 9(6) | | X | | | | | | | |
| 36 | Double-toothed Kite | 7(12), 9(8) | | X | | | | | | | |
| 37 | Mississippi Kite | - | | | | | | | | X | |
| 38 | Plumbeous Kite | 9(10) | | X | | | X | | | | |
| 39 | Sharp-shinned Hawk | 9(4) | | | | | | | | X | |
| 40 | Semiplumbeous Hawk | 7(3) | | X | | | | | | | |
| 41 | White Hawk | - | | | | | X | | | | |
| 42 | Common Black-Hawk | 8(4) | | | | | | | | X | |
| 43 | Great Black-Hawk | 8(3) | | | | | X | | | | |
| 44 | Savanna Hawk | 8(10) | | | | | X | | | | |
| 45 | Gray Hawk | 8(1), 9(7) | | | | X | X | | | X | |
| 46 | Roadside Hawk | 7(4) | | X | | | | | | | |
| 47 | Broad-winged Hawk | 9(9) | | | | | X | X | X | X | |
| 48 | Short-tailed Hawk | - | | | X | | X | | | X | |
| 49 | Swainson's Hawk | - | | | X | | | | X | X | |
| 50 | Zone-tailed Hawk | - | | | X | | | | | | |
| | | | | | | | | | | | |
| FALCONS, CARACARAS: <i>Falconidae</i> | | | | | | | | | | | |
| 51 | Northern Crested Caracara | 8(9) | | X | | | X | | | X | |
| 52 | Yellow-headed Caracara | 8(8) | | X | X | X | X | X | | X | X |
| 53 | Laughing Falcon | - | | | | | | | | H | |
| 54 | American Kestrel | 9(13) | | | | | X | | | | |
| 55 | Bat Falcon | 7(1) | | | | | | | | X | |
| 56 | Peregrine Falcon | - | | X | | X | | X | | | |
| | | | | | | | | | | | |
| RAILS, GALLINULES, COOTS: <i>Rallidae</i> | | | | | | | | | | | |
| 57 | White-throated Crake | 1(6) | | | | X | | | | | |

| | | | | | | | | | | |
|---|------------------------|--------|---|---|---|---|---|---|---|---|
| 58 | Gray-necked Wood-Rail | 1(7) | X | X | X | | | | | |
| 59 | Purple Gallinule | 3(10) | X | X | X | | | | | |
| 60 | Common Moorhen | 3(12) | X | | X | | | | | |
| 61 | American Coot | 3(11) | X | | | | | | | |
| SUNBITTERN: <i>Eurypygidae</i> | | | | | | | | | | |
| 62 | Sunbittern | 1(9) | | | | | | | | |
| LIMPKIN: <i>Aramidae</i> | | | | | | | | | | |
| 63 | Limpkin | 2(15) | X | | | | | | | |
| PLOVERS, LAPWINGS: <i>Charadriidae</i> | | | | | | | | | | |
| 64 | Southern Lapwing | 5(7) | | X | | X | X | | | |
| 65 | Black-bellied Plover | 5(6) | | | | | X | | | |
| 66 | Semipalmated Plover | 5(18) | | | X | | | | | |
| AVOCETS, STILTS: <i>Recurvirostridae</i> | | | | | | | | | | |
| 67 | Black-necked Stilt | 5(16) | | | | | X | | | |
| JACANAS: <i>Jacanidae</i> | | | | | | | | | | |
| 68 | Wattled Jacana | 1(12) | X | | X | | | | X | |
| SANDPIPERS: <i>Scolopacidae</i> | | | | | | | | | | |
| 69 | Spotted Sandpiper | 5(12) | X | | X | | X | X | | |
| 70 | Greater Yellowlegs | | | | | | X | | | |
| 71 | Willet | 5(17) | | | | | X | | | |
| 72 | Whimbrel | 5(18) | | | X | | X | | | |
| 73 | Marbled Godwit | | | | | | X | | | |
| 74 | Western Sandpiper | 5(13) | | | | | X | | | |
| 75 | Least Sandpiper | 5(14) | | | | | X | | | |
| 76 | Short-billed Dowitcher | | | | | | X | | | |
| GULLS: <i>Laridae</i> | | | | | | | | | | |
| 77 | Laughing Gull | 6(4) | X | | X | | X | | | |
| 78 | Franklin's Gull | 6(3) | | | | | X | | | |
| 79 | Ring-billed Gull | | | | | | X | | | |
| 80 | Herring Gull | | | | | | X | | | |
| 81 | Kelp Gull | | | | | | X | | | |
| TERNs: <i>Sternidae</i> | | | | | | | | | | |
| 82 | Royal Tern | 6(9) | X | X | X | | X | | | |
| 83 | Elegant Tern | 6(8) | | | | | X | | | |
| 84 | Sandwich Tern | 6(13) | X | | X | | X | | | |
| 85 | Forster's Tern | | X | | | | | | | |
| SKIMMERS: <i>Rynchopidae</i> | | | | | | | | | | |
| 86 | Black Skimmer | 6(17) | | | | | X | | | |
| PIGEONS, DOVES: <i>Columbidae</i> | | | | | | | | | | |
| 87 | Rock Pigeon | - | X | X | X | X | X | X | | X |
| 88 | Pale-vented Pigeon | 10(3) | X | X | X | X | X | | | |
| 89 | Scaled Pigeon | 10(2) | X | | | | X | X | | |
| 90 | Short-billed Pigeon | 10(4) | | | X | X | X | X | X | |
| 91 | Ruddy Ground-Dove | 10(7) | X | X | X | X | X | X | X | X |
| 92 | White-tipped Dove | 10(10) | | X | X | X | X | X | X | |
| 93 | Gray-chested Dove | 10(9) | X | X | | | | | | |

| | | | | | | | | | | |
|---|-------------------------------|--------|---|---|---|---|---|---|---|---|
| | | | | | | | | | | |
| PARROTS: <i>Psittacidae</i> | | | | | | | | | | |
| 94 | Orange-chinned Parakeet | 11(4) | X | X | X | X | X | | X | |
| 95 | Blue-fronted Parrotlet | 11(1) | | | | | | X | | |
| 96 | Brown-hooded Parrot | 11(18) | | | H | H | X | | H | |
| 97 | Blue-headed Parrot | 11(19) | X | X | | X | | X | X | |
| 98 | Red-lore Amazon | 11(15) | X | X | | X | X | | X | |
| 99 | Yellow-crowned Amazon | 11(16) | | H | X | | | | | |
| 100 | Mealy Amazon | 11(17) | X | | X | X | X | | | |
| | | | | | | | | | | |
| CUCKOOS: <i>Cuculidae</i> | | | | | | | | | | |
| 101 | Squirrel Cuckoo | 12(13) | H | X | H | X | | | X | |
| 102 | Striped Cuckoo | 12(10) | | | | | | | H | |
| 103 | Pheasant Cuckoo | 12(11) | X | H | | | | | | |
| 104 | Rufous-vented Ground-Cuckoo | 12(14) | | | X | | | | | |
| 105 | Greater Ani | - | X | X | X | X | | | | |
| 106 | Smooth-billed Ani | - | | | X | X | | | X | |
| 107 | Groove-billed Ani | - | X | | | | | | X | |
| | | | | | | | | | | |
| OWLS: <i>Strigidae</i> | | | | | | | | | | |
| 108 | Tropical Screech-Owl | 12(2) | | | | | X | X | H | H |
| 109 | Crested Owl | 12(8) | | | X | X | H | | | |
| 110 | Spectacled Owl | 12(7) | | X | | | | | | |
| 111 | Mottled Owl | 12(4) | | | | X | X | | | |
| 112 | Black-and-white Owl | 12(5) | | | | | | | | |
| | | | | | | | | | | |
| NIGHTJARS: <i>Caprimulgidae</i> | | | | | | | | | | |
| 113 | Short-tailed Nighthawk | - | | | | | | | X | |
| 114 | Pauraque | - | | | H | H | H | H | H | H |
| | | | | | | | | | | |
| POTOOS: <i>Nyctibiidae</i> | | | | | | | | | | |
| 115 | Great Potoo | - | | | | H | H | | | |
| 116 | Common Potoo | - | | X | X | | | | | |
| | | | | | | | | | | |
| SWIFTS: <i>Apodidae</i> | | | | | | | | | | |
| 117 | Chestnut-collared Swift | - | | | | X | | | | |
| 118 | White-collared Swift | - | | | | X | | X | | |
| 119 | Vaux's Swift | - | | X | | | | | | |
| 120 | Short-tailed Swift | - | X | X | X | | | | | |
| 121 | Band-rumped Swift | - | X | X | | | | | X | |
| 122 | Lesser Swallow-tailed Swift | - | | | | | | | X | |
| | | | | | | | | | | |
| HUMMINGBIRDS: <i>Trochilidae</i> | | | | | | | | | | |
| 123 | Green Hermit | 13(25) | | | | | | X | | |
| 124 | Long-billed Hermit | 13(26) | X | | X | X | X | | | |
| 125 | Striped-throated Hermit | 13(24) | X | | | | X | | X | |
| 126 | White-necked Jacobin | 13(7) | X | | X | X | X | X | X | |
| 127 | Black-throated Mango | 13(16) | X | | X | | | | X | |
| 128 | Garden Emerald | 13(6) | | X | | | | | | |
| 129 | Violet-crowned Woodnymph | 13(5) | X | | X | X | X | X | | |
| 130 | Violet-bellied Hummingbird | 13(10) | X | | | | | | X | |
| 131 | Sapphire-throated Hummingbird | 13(4) | X | | | | | | | |
| 132 | Violet-capped Hummingbird | 13(2) | | | | | | X | | |
| 133 | Blue-chested Hummingbird | 13(9) | X | X | X | X | X | X | X | |
| 134 | Snowy-bellied Hummingbird | 13(14) | | X | | | | X | X | |

| | | | | | | | | | | | |
|---|----------------------------|--------|--|---|---|---|---|---|---|---|--|
| 135 | Rufous-tailed Hummingbird | 13(13) | | X | X | X | X | X | X | X | |
| 136 | White-vented Plumeleteer | 13(11) | | X | X | X | X | X | | | |
| 137 | Bronze-tailed Plumeleteer | 13(12) | | | | X | | | X | | |
| 138 | Purple-crowned Fairy | 13(15) | | X | X | | | X | X | X | |
| 139 | Long-billed Starthroat | 13(19) | | | | | | | | X | |
| | | | | | | | | | | | |
| TROGONS, QUETZALS: <i>Trogonidae</i> | | | | | | | | | | | |
| 140 | Slaty-tailed Trogon | 15(4) | | H | | X | H | | | | |
| 141 | Black-tailed Trogon | 15(8) | | | | | | | | X | |
| 142 | White-tailed Trogon | 15(10) | | | | X | H | | | | |
| 143 | Northern Violaceous Trogon | 15(11) | | X | X | | | | | X | |
| 144 | Black-throated Trogon | 15(8) | | X | | X | X | | X | | |
| | | | | | | | | | | | |
| MOTMOTS: <i>Momotidae</i> | | | | | | | | | | | |
| 145 | Blue-crowned Motmot | 16(3) | | | X | | | | | | |
| 146 | Rufous Motmot | 16(2) | | X | | X | | | X | | |
| 147 | Broad-billed Motmot | 16(1) | | X | | X | X | X | | | |
| | | | | | | | | | | | |
| KINGFISHERS: <i>Alcedinidae</i> | | | | | | | | | | | |
| 148 | Ringed Kingfisher | 16(10) | | X | | X | | | | X | |
| 149 | Amazon Kingfisher | 16(7) | | | X | | | | | | |
| 150 | Green Kingfisher | 16(11) | | | X | | | | X | X | |
| 151 | American Pygmy Kingfisher | 16(8) | | X | | | X | | | | |
| | | | | | | | | | | | |
| PUFFBIRDS: <i>Bucconidae</i> | | | | | | | | | | | |
| 152 | Barred Puffbird | - | | | | | | | | X | |
| 153 | White-necked Puffbird | 23(1) | | X | | | | | | X | |
| 154 | Black-breasted Puffbird | 23(2) | | X | | | | X | | | |
| 155 | Pied Puffbird | 23(3) | | | | | X | | | X | |
| 156 | White-whiskered Puffbird | 17(1) | | X | | X | | | | | |
| | | | | | | | | | | | |
| JACAMARS: <i>Galbulidae</i> | | | | | | | | | | | |
| 157 | Great Jacamar | 16(6) | | | | X | | | | | |
| | | | | | | | | | | | |
| BARBETS: <i>Capitonidae</i> | | | | | | | | | | | |
| 158 | Spot-crowned Barbet | 17(4) | | | | | X | | | | |
| | | | | | | | | | | | |
| TOUCANS: <i>Ramphastidae</i> | | | | | | | | | | | |
| 159 | Collared Aracari | 17(10) | | X | | X | X | X | | X | |
| 160 | Yellow-eared Toucanet | | | | | | | | H | | |
| 161 | Keel-billed Toucan | 17(9) | | X | X | X | X | X | X | X | |
| 162 | Chestnut-mandibled Toucan | 17(8) | | X | | | X | | X | X | |
| | | | | | | | | | | | |
| WOODPECKERS: <i>Picidae</i> | | | | | | | | | | | |
| 163 | Black-cheeked Woodpecker | 18(7) | | X | | X | X | X | | X | |
| 164 | Red-crowned Woodpecker | 18(8) | | X | X | X | X | X | X | X | |
| 165 | Red-rumped Woodpecker | 18(11) | | | | | | | | X | |
| 166 | Stripe-cheeked Woodpecker | 18(3) | | | | | | | X | X | |
| 167 | Cinnamon Woodpecker | 18(13) | | H | | X | | H | | X | |
| 168 | Lineated Woodpecker | 18(15) | | | X | X | | H | | X | |
| 169 | Crimson-crested Woodpecker | 18(16) | | X | | X | | | X | | |
| | | | | | | | | | | | |
| OVENBIRDS: <i>Furnariidae</i> | | | | | | | | | | | |
| 170 | Scaly-throated Leaf-tosser | 20(8) | | X | | X | | | | | |
| 171 | Plain Xenops | 20(4) | | X | | X | X | X | X | X | |

| | | | | | | | | | | |
|---|-------------------------------|--------|---|---|---|---|---|---|---|--|
| 172 | Buff-throated Foliage-gleaner | 20(7) | | | | | | | X | |
| WOODCREEPERS: <i>Dendrocolaptidae</i> | | | | | | | | | | |
| 173 | Plain-brown Woodcreeper | 19(4) | | X | X | | X | | X | |
| 174 | Olivaceous Woodcreeper | 19(5) | | | X | | X | X | X | |
| 175 | Straight-billed Woodcreeper | 19(12) | | | | | | | X | |
| 176 | Cocoa Woodcreeper | - | X | X | X | H | H | X | H | |
| 177 | Black-striped Woodcreeper | 19(16) | X | | | | | | | |
| 178 | Spotted Woodcreeper | 19(11) | | | | | | X | | |
| 179 | Streak-headed Woodcreeper | 19(8) | | | | | | | H | |
| TYPICAL ANTBRDS: <i>Thamnophilidae</i> | | | | | | | | | | |
| 180 | Fasciated Antshrike | 20(15) | X | H | | | | | | |
| 181 | Barred Antshrike | 20(12) | | X | X | X | | | X | |
| 182 | Black Antshrike | 40(21) | | | | | | | X | |
| 183 | Western Slaty-Antshrike | 20(13) | X | X | X | X | H | X | X | |
| 184 | Plain Antvireo | 21(2) | | | | X | | | | |
| 185 | Spot-crowned Antvireo | 21(3) | X | | | X | | | | |
| 186 | White-flanked Antwren | 21(8) | X | | X | X | X | | | |
| 187 | Checker-throated Antwren | 21(7) | X | X | X | X | X | X | | |
| 188 | Rufous-winged Antwren | 40(20) | | | | | | | X | |
| 189 | Dot-winged Antwren | 21(9) | X | | X | X | X | | | |
| 190 | Dusky Antbird | 21(10) | X | X | | | | | | |
| 191 | Jet Antbird | 21(13) | | X | | | | | | |
| 192 | White-bellied Antbird | 22(4) | H | X | X | | | | | |
| 193 | Chestnut-backed Antbird | 22(2) | X | | H | X | X | | H | |
| 194 | Spotted Antbird | 22(5) | | | X | X | | | | |
| 195 | Ocellated Antbird | 22(6) | | | H | | | | | |
| ANTTHRUSHES, ANTPITTAS: <i>Formicariidae</i> | | | | | | | | | | |
| 196 | Black-faced Antthrush | 22(9) | H | H | H | H | | | | |
| 197 | Streak-chested Antpitta | 22(16) | X | | X | | | | | |
| TYRANT FLYCATCHERS: <i>Tyrannidae</i> | | | | | | | | | | |
| 198 | Brown-capped Tyrannulet | 25(6) | X | H | | X | | | | |
| 199 | Southern Beardless Tyrannulet | 25(14) | | X | X | | X | X | X | |
| 200 | Mouse-colored Tyrannulet | 25(4) | | | X | | | | | |
| 201 | Yellow Tyrannulet | 25(22) | | X | X | | | | | |
| 202 | Yellow-crowned Tyrannulet | 25(21) | X | X | | | | | | |
| 203 | Forest Elaenia | 24(5) | X | X | H | | | | X | |
| 204 | Greenish Elaenia | 24(6) | | X | | | | | | |
| 205 | Yellow-bellied Elaenia | 24(8) | X | X | X | X | X | X | X | |
| 206 | Lesser Elaenia | 24(9) | | | X | | H | | X | |
| 207 | Olive-striped Flycatcher | 24(16) | | | | | X | | | |
| 208 | Ochre-bellied Flycatcher | 25(8) | X | X | | | | | X | |
| 209 | Yellow-green Tyrannulet | 25(15) | | X | | | | | | |
| 210 | Paltry Tyrannulet | 25(9) | H | X | | | | X | | |
| 211 | Black-capped Pygmy-Tyrant | 25(5) | H | | H | X | X | | | |
| 212 | Scale-crested Pygmy-Tyrant | 25(19) | | | | | X | H | H | |
| 213 | Southern Bentbill | 25(3) | X | X | X | X | X | | | |
| 214 | Common Tody-Flycatcher | 25(11) | X | X | X | X | X | X | X | |
| 215 | Black-headed Tody-Flycatcher | 25(10) | | | X | X | | | H | |

| | | | | | | | | | | | |
|-----------------------------------|----------------------------|--------|--|---|---|---|---|---|---|---|---|
| 216 | Olivaceous Flatbill | 24(17) | | X | | X | | X | | | |
| 217 | Yellow-olive Flycatcher | 46(5) | | X | X | H | X | X | | | |
| 218 | Yellow-margined Flycatcher | 24(3) | | X | | | | | | | |
| 219 | Golden-crowned Spadebill | 25(20) | | X | | X | | | | | |
| 220 | Northern Royal-Flycatcher | 24(14) | | | | | | | | X | |
| 221 | Ruddy-tailed Flycatcher | 25(1) | | X | X | X | | | | | |
| 222 | Black-tailed Flycatcher | 24(1) | | X | X | | | | | | |
| 223 | Western Wood-Pewee | - | | | | X | | | | | |
| 224 | Eastern Wood-Pewee | 32(5) | | | X | X | | | | H | |
| 225 | Tropical Pewee | 24(7) | | | | | | X | H | X | |
| 226 | Yellow-bellied Flycatcher | - | | | | | | | | X | |
| 227 | Acadian Flycatcher | 32(4) | | | | | | | | X | |
| 228 | Black Phoebe | 46(16) | | | | | | | X | | |
| 229 | Pied Water-Tyrant | - | | | | | | | | X | |
| 230 | Long-tailed Tyrant | - | | | | | X | H | | | |
| 231 | Cattle Tyrant | - | | | | | | | | | X |
| 232 | Bright-rumped Attila | 26(7) | | X | | H | H | | | | |
| 233 | Sirystes | 23(5) | | | | | | X | | | |
| 234 | Dusky-capped Flycatcher | 24(12) | | X | | | H | | X | X | |
| 235 | Panama Flycatcher | 23(10) | | | X | | | | | X | |
| 236 | Great Crested Flycatcher | 23(9) | | X | X | | X | | | | |
| 237 | Lesser Kiskadee | 23(14) | | | X | | X | | | | |
| 238 | Great Kiskadee | 23(15) | | X | X | X | X | X | | | |
| 239 | Boat-billed Flycatcher | 23(19) | | X | | | | | | X | |
| 240 | Rusty-margined Flycatcher | 23(13) | | X | X | X | | | | | |
| 241 | Social Flycatcher | 23(12) | | X | X | X | X | X | X | X | |
| 242 | Gray-capped Flycatcher | 23(11) | | | | | H | | | | |
| 243 | White-ringed Flycatcher | 23(14) | | H | | | | | | | |
| 244 | Streaked Flycatcher | 23(21) | | X | X | X | X | X | X | X | |
| 245 | Piratic Flycatcher | 23(23) | | X | X | | | X | | | |
| 246 | Tropical Kingbird | 23(6) | | X | X | X | X | X | X | X | |
| 247 | Eastern Kingbird | 23(8) | | | | | | | | X | |
| 248 | Fork-tailed Flycatcher | 23(4) | | X | | X | X | | | | X |
| TYRANT FLYCATCHER ALLIES: | | | | | | | | | | | |
| 249 | Thrush-like Schiffornis | | | | H | | | | | | |
| 250 | Speckled Mourner | 26(9) | | | | | | H | | | |
| 251 | Cinnamon Becard | 26(6) | | | | | | | | X | |
| 252 | White-winged Becard | 26(1) | | X | | | | | | | |
| 253 | Masked Tityra | 26(14) | | X | X | | X | X | | X | |
| 254 | Black-crowned Tityra | 26(15) | | | | | | | | X | |
| COTINGAS: Cotingidae | | | | | | | | | | | |
| 255 | Blue Cotinga | 26(12) | | X | | | X | X | | | |
| 256 | Purple-throated Fruitcrow | 26(8) | | H | | X | | | | | |
| MANAKINS: Pipridae | | | | | | | | | | | |
| 257 | Green Manakin | 40(24) | | | | | | | | X | |
| 258 | Golden-collared Manakin | 27(4) | | | X | | H | | | X | |
| 259 | White-ruffed Manakin | 27(8) | | | | | | | X | | |
| 260 | Lance-tailed Manakin | 27(6) | | | X | | | | | | |
| 261 | Blue-crowned Manakin | 27(1) | | X | | X | X | X | | | |
| 262 | Red-capped Manakin | 27(2) | | X | | X | H | X | | | |
| VIREOS, ALLIES: Vireonidae | | | | | | | | | | | |
| 263 | Yellow-throated Vireo | 31(1) | | | H | | | | | | |
| 264 | Red-eyed Vireo | 31(2) | | | X | | | X | | | |

| | | | | | | | | | | |
|--|-------------------------------|--------|---|---|---|---|---|---|---|---|
| 265 | Yellow-green Vireo | 31(8) | X | | X | X | | | X | |
| 266 | Scrub Greenlet | 30(11) | | X | X | X | | | | |
| 267 | Golden-fronted Greenlet | 30(13) | | X | X | | | | | |
| 268 | Lesser Greenlet | 30(14) | X | X | X | | X | X | X | |
| 269 | Green Shrike-Vireo | 30(7) | H | H | H | | | | | |
| | | | | | | | | | | |
| CROWS, JAYS: <i>Corvidae</i> | | | | | | | | | | |
| 270 | Black-chested Jay | 17(13) | X | | X | | | | | |
| | | | | | | | | | | |
| SWALLOWS: <i>Hirundinidae</i> | | | | | | | | | | |
| 271 | Gray-breasted Martin | 47(3) | X | X | X | X | X | | X | |
| 272 | Mangrove Swallow | 47(1) | X | X | X | | | | | |
| 273 | White-thighed Swallow | 47(6) | | | | | | X | X | |
| 274 | Southern Rough-winged Swallow | 47(8) | X | X | X | X | | | | |
| 275 | Cliff Swallow | - | X | | X | X | | | | |
| 276 | Barn Swallow | 47(4) | X | X | X | X | X | | | |
| | | | | | | | | | | |
| WRENS: <i>Troglodytidae</i> | | | | | | | | | | |
| 277 | White-headed Wren | 28(17) | | | | X | | | | |
| 278 | Black-bellied Wren | 28(9) | X | | | | | | X | |
| 279 | Bay Wren | 28(8) | | | | H | | X | | |
| 280 | Rufous-breasted Wren | 28(7) | | X | | | | | | |
| 281 | Rufous-and-white Wren | 28(6) | X | X | | | | | | |
| 282 | Plain Wren | 28(1) | | X | X | X | | X | X | |
| 283 | Buff-breasted Wren | 28(2) | X | X | X | | | | | |
| 284 | House Wren | 28(3) | X | X | X | X | X | X | X | |
| 285 | White-breasted Wood-Wren | 28(10) | | | X | | | X | | |
| 286 | Southern Nightingale-Wren | 28(15) | | | | H | H | | | |
| 287 | Song Wren | 28(16) | X | | H | | | | | |
| | | | | | | | | | | |
| GNATCATCHERS: <i>Poliophtidae</i> | | | | | | | | | | |
| 288 | Tawny-faced Gnatwren | 30(3) | | | | | | X | | |
| 289 | Long-billed Gnatwren | 30(4) | H | X | H | H | | X | | |
| 290 | Tropical Gnatcatcher | 30(1) | X | | H | X | | | X | |
| | | | | | | | | | | |
| THRUSHES: <i>Turdidae</i> | | | | | | | | | | |
| 291 | Swainson's Thrush | 32(9) | | H | | | | | X | |
| 292 | Clay-colored Thrush | 29(14) | | X | X | X | X | X | X | X |
| | | | | | | | | | | |
| MOCKINGBIRDS, THRASHERS: <i>Mimidae</i> | | | | | | | | | | |
| 293 | Tropical Mockingbird | | X | X | X | X | X | X | X | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| WOOD WARBLERS: <i>Parulidae</i> | | | | | | | | | | |
| 294 | Golden-winged Warbler | 31(5) | X | | | | | X | | |
| 295 | Tennessee Warbler | 31(4) | | | | | | X | X | |
| 296 | Tropical Parula | 33(7) | | | | | | | H | |
| 297 | Yellow Warbler | 31(9) | X | X | X | | X | | X | |
| 298 | Chestnut-sided Warbler | 31(11) | X | X | X | X | X | X | X | |
| 299 | Black-throated Green Warbler | 31(14) | | | | | | X | X | |
| 300 | Blackburnian Warbler | 31(13) | | | | | | X | | |

| | | | | | | | | | | | |
|--|--------------------------|--------|--|---|---|---|---|---|---|---|---|
| 301 | Bay-breasted Warbler | 31(12) | | X | X | X | X | X | X | X | |
| 302 | Blackpoll Warbler | - | | | X | | | | | | |
| 303 | Cerulean Warbler | - | | | | | X | X | X | | |
| 304 | Black-and-white Warbler | 31(20) | | | X | | X | X | X | X | |
| 305 | American Redstart | 31(17) | | | | | | | X | X | |
| 306 | Prothonotary Warbler | 31(10) | | | | X | | | | | |
| 307 | Northern Waterthrush | 31(17) | | X | H | X | X | X | | X | |
| 308 | Rufous-capped Warbler | 33(10) | | X | | | | | X | X | |
| | | | | | | | | | | | |
| BANANAQUIT: <i>Coerebidae</i> | | | | | | | | | | | |
| 309 | Bananaquit | 33(6) | | | | | X | X | X | X | |
| | | | | | | | | | | | |
| TANAGERS, ALLIES: <i>Thraupidae</i> | | | | | | | | | | | |
| 310 | White-eared Conebill | 40(2) | | | | | | | | X | |
| 311 | Black-and-yellow Tanager | 36(4) | | | | | | | X | | |
| 312 | Rosy Thrush-Tanager | 36(11) | | X | X | | | | | | |
| 313 | Olive Tanager | 35(14) | | | | | | | X | | |
| 314 | Gray-headed Tanager | 36(8) | | X | | X | | | | | |
| 315 | Sulphur-rumped Tanager | 36(6) | | | | | X | X | | | |
| 316 | White-shouldered Tanager | 36(2) | | X | X | X | X | X | | X | |
| 317 | White-lined Tanager | 36(9) | | | X | | | | | | |
| 318 | Red-throated Ant-Tanager | 35(13) | | | X | | X | | | | |
| 319 | Hepatic Tanager | 35(16) | | | | | | | X | X | |
| 320 | Summer Tanager | 32(2) | | X | X | | X | X | X | | |
| 321 | Scarlet Tanager | 32(1) | | | | | | X | | X | |
| 322 | Crimson-backed Tanager | 35(9) | | X | X | X | X | X | X | X | X |
| 323 | Flame-rumped Tanager | 35(7) | | | | | X | | | | |
| 324 | Blue-gray Tanager | 35(5) | | X | X | X | X | X | X | X | X |
| 325 | Palm Tanager | 35(4) | | X | X | X | X | X | X | X | |
| 326 | Golden-hooded Tanager | 34(12) | | X | X | X | X | X | X | X | |
| 327 | Speckled Tanager | 34(18) | | | | | | | X | | |
| 328 | Plain-colored Tanager | 34(11) | | X | X | X | X | X | X | X | |
| 329 | Rufous-winged Tanager | 34(15) | | | | | X | X | X | | |
| 330 | Bay-headed Tanager | 34(14) | | | | | | X | X | X | |
| 331 | Emerald Tanager | 34(13) | | | | | | | X | | |
| 332 | Scarlet-thighed Dacnis | 33(3) | | | | | X | X | X | | |
| 333 | Blue Dacnis | 33(2) | | X | X | | X | X | X | X | |
| 334 | Green Honeycreeper | 33(1) | | X | X | | X | X | X | | |
| 335 | Shining Honeycreeper | 33(4) | | | | | X | X | | | |
| 336 | Red-legged Honeycreeper | 33(5) | | X | X | X | X | X | X | X | |
| | | | | | | | | | | | |
| BUNTINGS, SEEDEATERS, ALLIES: <i>Emberizidae</i> | | | | | | | | | | | |
| 337 | Blue-black Grassquit | 38(5) | | | | | X | X | X | X | |
| 338 | Slate-colored Seedeater | 38(7) | | X | H | | | | | | |
| 339 | Variable Seedeater | 38(9) | | X | X | X | X | X | X | X | |
| 340 | Yellow-bellied Seedeater | 38(8) | | X | X | | X | X | X | X | |
| 341 | Ruddy-breasted Seedeater | 38(6) | | | X | | X | | | | |
| 342 | Thick-billed Seed-Finch | - | | | X | X | X | | | | |
| 343 | Yellow-faced Grassquit | 38(11) | | X | X | X | X | X | X | X | |
| 344 | Saffron Finch | 38(13) | | | | X | | | | | |
| 345 | Orange-billed Sparrow | 37(15) | | | X | | | | | | |
| 346 | Black-striped Sparrow | 37(14) | | | X | X | X | X | X | X | |
| | | | | | | | | | | | |
| SALTATORS, CARDINALS, ALLIES: <i>Cardinalidae</i> | | | | | | | | | | | |
| 347 | Streaked Saltator | 37(7) | | | X | X | X | | X | X | |

| | | | | | | | | | | | |
|--|----------------------------|--------|---|---|---|---|---|---|---|---|---|
| 348 | Buff-throated Saltator | 37(9) | | | X | | | | | | |
| 349 | Black-headed Saltator | 37(8) | | | | | X | | | X | |
| 350 | Slate-colored Grosbeak | 37(5) | | X | | | | | | | |
| 351 | Rose-breasted Grosbeak | 32(16) | | | | | | X | X | X | |
| 352 | Blue-black Grosbeak | 38(2) | | X | H | | | | X | | |
| | | | | | | | | | | | |
| TROUPIALS, ALLIES: <i>Icteridae</i> | | | | | | | | | | | |
| 353 | Red-breasted Blackbird | 39(12) | | | | | X | | | X | |
| 354 | Eastern Meadowlark | - | | | | | X | | | H | X |
| 355 | Great-tailed Grackle | 39(13) | X | X | X | X | X | X | X | X | X |
| 356 | Shiny Cowbird | 39(14) | | | X | | | | | | |
| 357 | Bronzed Cowbird | 39(15) | | | | | X | | X | | |
| 358 | Giant Cowbird | 39(16) | | | | | X | | | X | |
| 359 | Orchard Oriole | 32(11) | | | | | | | | X | |
| 360 | Yellow-backed Oriole | 39(2) | | | X | | H | | | X | |
| 361 | Yellow-tailed Oriole | 39(1) | | | | X | | | | | |
| 362 | Baltimore Oriole | 32(12) | | | X | | | X | X | | |
| 363 | Scarlet-rumped Cacique | 39(6) | | X | X | X | X | X | | | |
| 364 | Yellow-rumped Cacique | 39(7) | | X | X | X | X | X | | X | |
| 365 | Crested Oropendola | 39(11) | | | | | X | | X | X | |
| 366 | Chestnut-headed Oropendola | 39(8) | | X | X | X | | X | X | X | X |
| 367 | Montezuma Oropendola | | | | | | X | | | | |
| | | | | | | | | | | | |
| GOLDFINCHES AND ALLIES | | | | | | | | | | | |
| 368 | Yellow-crowned Euphonia | 34(8) | | X | X | X | X | | | | |
| 369 | Thick-billed Euphonia | 34(6) | | | X | X | X | X | X | X | |
| 370 | Fulvous-vented Euphonia | 34(3) | | X | | X | X | X | X | X | |
| 371 | White-vented Euphonia | 34(2) | | | | | | X | | | |
| 372 | Tawny-capped Euphonia | 34(10) | | | | | | | X | | |
| | | | | | | | | | | | |
| OLD WORLD SPARROWS: <i>Passeridae</i> | | | | | | | | | | | |
| 373 | House Sparrow | - | | | | | | | | | X |



1 174 152 167 160 154 109 161 20